## Index

A
Access to Special Use Airspace5-10
Advanced Surface Movement Guidance Control System
(A-SMGCS)1-4
Airport Signs, Lighting, and Markings1-4
Aeronautical Radio, Inc. (ARINC) 4246-4
Complex Route Records6-5
Fix Records6-4
Miscellaneous Records6-5
Simple Route Records6-4
Airborne Navigation Database Standardization6-3
Aircraft Approach Categories4-8
Aircraft Performance Considerations4-7
Aircraft Speed and Altitude2-49
Aircraft System Malfunction
Airplane Performance Operating Limitations4-7
Airport Facility Directory (A/FD)1-2
Airport Sketches and Diagrams1-2
Airports With an ATC Tower4-15
Airports Without A Control Tower4-15
Air Route Traffic Control Center (ARTCC)4-13
High or Lack of Minimum Vectoring Altitudes (MVAs)
4-14
Lack of Approach Control Terrain Advisories4-15
Air Route Traffic Control Centers (ARTCC)2-3
Airspeed3-20
Airway and Route System2-11
Airway/Route Depiction2-13
IFR En Route High Altitude Chart2-16
IFR En Route Low Altitude Chart2-13
Victor Airway Navigation Procedures2-18
Airways2-2
Alternate Minimums for Commercial Operators1-14
Altitude3-16
Altitudes4-19
Approach Chart Naming Conventions4-9
Approach Clearance3-22,4-54
Approach Control4-13
Approaches4-57
Approach Planning4-2
Approach to a PinS 7-14

Approach to a Specific VFR Heliport	7-14
ARTCC Radio Frequency Outage	2-48
ATC Holding Instructions	2-51
ATC Requirements During an Inflight Emergency	A-5
Emergency Airport	A-6
Emergency Obstruction Video Map (EOVM)	A-6
Escort	A-6
Radar Assistance	A-5
Responsibility	А-6
Automated Terminal Information Sevice (ATIS)	4-5
Automated Weather Observing Programs	4-5
Automated Surface Observing System (A	
Automated Weather Sensor System (AWSS)	
Automated Weather Observing System (AWOS).	
Automated Weather Systems	
Automatic Terminal Information Service (ATIS)	
Autopilot Modes	
Aviation Digital Data Services (ADDS)	4-4
Benefits of NextGen Broadcast Weather	
C	
CAT II and III Approaches	4-64
Ceilings1-	
Center Weather Advisories (CWA)	4-6
Changeover Points	
Charted Visual Flight Procedures (CVFP)	4-58
Charting/Database Inconsistencies	
Issues Related To Magnetic Variation	
Issues Related To Revision Cycle	
Naming Conventions	
Circling Only Procedures	
Civilians Using Special Use Airspace	
Climbing and Descending En Route	
Closed Indefinitely Airports	
Communications	
Control Assessed to a	

Controlled Flight into Terrain (CFTT)	r
Converging ILS Approaches4-66	Feeder Routes4-43
Copter GPS Approaches to an Airport or Heliport7-10	Final Approach Fix (FAF) Altitude4-19
Copter Only Approaches to An Airport Or Heliport7-10	Final Approach Segment4-53
Course Reversal4-49	Flight Management System (FMS)4-35
Courses4-17	Flights in a Radar Environment2-46
Area Navigation Courses4-18	Fuel State Awareness2-52
Traditional Courses4-17	
Cruise Clearance2-43	G
D	GPS Overlay of Nonprecision Approach4-63
Decision Altitude (DA)4-19	GPS Stand-Alone/RNAV (GPS) Approach4-63
Decision Height (DH)4-19	Ground-Based Augmentation System (GBAS)4-26
Departure Procedures (DP)1-14	Ground Communication Outlet1-43
Obstacle Departure Procedures (ODPs)1-23	
Area Navigation (RNAV) Departures1-30	Н
ODP Flight Planning Considerations1-23	Hazardous Inflight Weather Advisory Service (HIWAS) 4-4
Pilot Responsibility for Use of RNAV Departures1-36	Head-Up Displays (HUD)5-7
SID Altitudes1-36	Helicopter Approaches to VFR Heliports7-14
SID Flight Planning Considerations1-26	Helicopter Flight Manual Limitations7-3
Standard Instrument Departures (SIDs)1-23	Helicopter IFR Alternates7-8
Transition Routes1-26	Part 91 Operators
Departures From Airports Without an Operating Control	Part 135 Operators
Tower1-43	Helicopter IFR Takeoff Minimums7-8
Departures From Tower-Controlled Airports1-43	Helicopter Instrument Approaches
Descending From the En Route Altitude3-8	Standard Instrument Approach Procedures to an
Descent Planning3-3	Airport7-9
Descent Planning for High Performance Aircraft3-6	Helicopter Instrument Flight Rule (IFR) Certification 7-2
Descent Rates and Glidepaths for Nonprecision	Helicopters flying standard instrument approach
Approaches4-37	procedures (SIAP)7-9
Maximum Acceptable Descent Rates4-37	Helicopter VFR Minimums7-8
Descents4-36	High Altitude Area Navigation Routing2-7
Digital Automatic Terminal Information Service (D-ATIS)	High Performance Holding2-52
1-12	Holding Patterns3-21
Direct Route Flights2-21	
Diverse Vector Area 1-38	1
Diversion Procedures2-52	IFR Alternate Requirements1-12
DME Arcs4-43	IFR Cruising Altitude or Flight Level2-42
DP Responsibilities1-42	IFR En Route Altitudes2-35
	IFR Heliports7-17
E	ILS Approaches4-64
Emergency ProceduresA-1	ILS Approach Categories4-64
Enhanced Flight Vision Systems (EFVS)4-20	Parallel (Dependent) ILS Approaches4-65
En Route Holding Procedures2-50	Simultaneous Close Parallel ILS Precision Runway
En Route Navigation2-2	Monitor (PRM) Approaches4-65
En Route Obstacle Clearance Areas2-18	Simultaneous Parallel ILS Approaches4-65
Primary and Secondary En Route Obstacle Clearance	Inadvertent IMC7-16
Areas2-19	Inadvertent Instrument Meteorological Condition (IIMC)
En Route Safety Considerations2-52	A-4
Equipment Requirements4-17	Inadvertent Thunderstorm EncounterA-1
Example Approach Briefing 4-41	Initial Approach Segment4-50

Instrument Approach Charts4-9	Next generation network enabled weather (NNEW) 5-3
Instrument Approaches4-20	System wide information management (SWIM)5-2
Instrument Approach Procedure (IAP) Briefing4-35	NextGen Existing Improvements5-3
Instrument Approach Procedure Segments4-43	Noise Abatement Procedures1-42
Intermediate Approach Segment4-53	Nonradar Environment4-56
Interpreting the STAR3-12	Non-Radar Position Reports2-45
L	0
Lateral navigation/vertical navigation (LNAV/VNAV)	One-Engine-Inoperative (OEI) Takeoff Obstacle Clearance
equipment	Requirements1-20 Operational Limitations of Airborne Navigation
Loss of Situational Awareness (SA)A-3	Databases6-14
Low, Close-In Obstacles1-17	Operations in Other Countries2-44
Lowest Usable Flight Level2-43	Operations Specifications (OpsSpecs)1-8
M	Р
Maximum Authorized Altitude (MAA)2-35	Path and Terminator Legs6-5
Maximum Holding Speed2-51	Path and Terminator Limitations6-9
Microwave Landing System (MLS)4-69	Pilot Proficiency7-5
Minimum Crossing Altitude (MCA)2-39	Position Report Items2-46
Minimum En Route Altitude (MEA)2-35	Additional Reports2-46
Minimum Equipment List (MEL)7-5	Precision Approach Radar (PAR)4-75
Minimum IFR Altitude (MIA)2-40	Preferred IFR Routes2-7
Minimum Obstruction Clearance Altitude (MOCA)2-36	Preparing for the Arrival3-16
Minimum Reception Altitude (MRA)2-35	Present Position Direct3-24
Minimum safe altitudes (MSAs)4-19	Primary NAVAID4-17
Minimum Turning Altitude (MTA)2-38	Procedural Notes1-42
Minimum Vectoring Altitudes (MVA)2-41	Published RNAV Routes2-23
Missed Approach4-39	Composition of Designators2-23
Missed Approach Segment4-54	Use of Designators in Communications2-24
Monitoring of Navigation Facilities2-29	D.
N	R Radar Approaches
	Radar Approaches4-72 Radar Departures1-37
NAVAID Accuracy Check2-29	Random RNAV Routes2-25
Airborne VOR Check2-31	Reduced Vertical Separation Minimums (RSVM)2-43
Dual VOR Check2-31	Required navigation performance (RNP)
NDB Accuracy Check2-31	RNP Levels2-34
RNAV Accuracy Check2-31 VOR Accuracy2-29	Application of Standard RNP Levels2-34
•	Standard RNP Levels2-35
VOR Checkpoint Signs2-30 VOT2-29	Required Navigation Performance (RNP)4-30
Navigational Gaps2-29	Reviewing the Approach3-16
Navigation and Communication Radios4-35	RNAV Approach Authorization4-30
Navigation in the Arrival Environment3-2	Baro-VNAV4-31
NDB Approach4-69	Hot and Cold Temperature Limitations4-31
Next Generation Air Transportation System (NextGen)	RNAV Approaches4-58
Automatic dependent surveillance-broadcast (ADS-B)	RNAV Approach Types4-63
5-2	
NAC voice cwitch (NIVC) 5-2	

RNAV (GPS) Approach Using WAAS	4-63	U	
RNAV STAR transitions	3-12	Users Role	6-14
Role of the Avionics Manufacturer	6-13	OSEIS NOIE	0-14
Role of the Database Provider	6-13	1/	
Runway Hotspots	1-6	V	
Runway Incursions		Vectors To Final Approach Course	4-54
,		Vertical Navigation	4-23
S		Vertical Navigation (VNAV) Planning	3-4
		VHF Airways	2-18
Safe Separation Standards		Visibility	1-10
Inflight Requirements and Instructions		Adequate Visual Reference	1-11
Sectors		Prevailing Visibility	1-10
See and Avoid Techniques		Runway Visibility Value (RVV)	1-10
Simultaneous Offset Instrument Approaches		Runway Visual Range (RVR)	1-10
Special Airport Qualification		Mid-RVR	
Stabilization and Automatic Flight Control Sy		Rollout RVR	1-11
		Touchdown RVR	1-11
Aerodynamic surfaces		Tower Visibility	1-10
Attitude Retention Systems (ATT)		Visual Approaches	
Stabilized Approach		Visual Climb Over Airport (VCOA)	
Standardized Taxi Routes		Visual flight rules (VFR) Departures	
Taxi and Movement Operations Change		VOR Approach	
Standard Terminal Arrival Routes (STARs)			
STAR Procedures	3-16	W	
STAR Transitions	3-12		
Storage Limitations		Waypoints	
Straight-In Procedures		Floating Waypoints	
Substitute Airway or Route Structures	2-9	User-Defined Waypoints	
Substitute Airway En Route Flight Procedu		Weather and the Departure Environment	
Surface Movement Guidance Control System	(SMGCS)1-3	Weather Considerations	
Geographic position markings		Weather Regulatory Requirements	
Runway guard lights	1-3	Weather Requirements and Part 91 Operators	
Stop bars lights	1-3	Weather Requirements and Part 121 Operators	
Taxiway centerline lead-on light	1-3	Weather Requirements and Part 135 Operators	
Surface Movement Safety	1-2	Weather Sources	4-2
Synthetic and Enhanced Vision Systems		Wide Area Augmentation System (WAAS)	
Developing Combined Technology	5-9	Advantages Of WAAS Enabled LPV Approaches.	
Enhanced Flight Vision System (EFVS)		Benefits Of WAAS In The Airport Environment	4-25
Synthetic Vision System (SVS)	5-8		
Т			
Takeoff Minimums	1-8		
Takeoff Minimums for Commercial Operators			
Telephone Information Briefing Service (TIBS			
Terminal Arrival Areas (TAAs)			
Terminal Routes			
Tower En Route Control (TEC)			
Tower En Route Control Route Descriptions			
Transition to a Visual Approach			